

TECHNICAL INFORMATION

FOR PROFESSIONAL USE ONLY

GLASS FIBRE Polyester Putty	
PRODUCTS	
Structural Polyester Putty reinforced with g	lass fibre
PRODUCT DESCRIPTION	
VOLATILE ORGANIC COMPOUNDS	
SURFACE PREPARATION	

TROTO



GENERAL NOTES
Caution: To maintain safety, always follow the instructions given in the MSDS for
the products.
the products.
STORAGE
STORAGE
Caution:
Close the containers immediately after application
Protect the hardener from overheating!
WARRANTY PERIOD
WAIMANTTEMOD
Important Information:
The information contained in this document corresponds to our present knowledge and is a guide to our products and their uses.
Read all directions and warnings prior to using Troton products - Safety Data Sheets can be found online at www.troton.com.pl or will be sent according
to your request: troton@troton.com.pl
Technical Information: The technical information, recommendations and other statements contained in this document are based upon tests or experience
that Troton believes are reliable, but the accuracy or completeness of such information is not guaranteed.

Limitation of Liability: Except where prohibited by law, Troton will not be liable for any loss or damage arising from the Troton product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

particular application. Given the variety of factors that can affect the use and performance of a Troton product, user is solely responsible for evaluating the

If used as instructed, this product is designed to comply with the European Volatile Organic Compound (VOC) Emission Standard for Automotive Refinish Coatings. Confirm compliance with your country, state and local air quality rules before use. The data on this sheet represent typical values. Since application variables are a major factor in product performance, this information should serve only as a general guide. Troton assumes no obligation or liability for use of this information.